Population movements from cholera-affected areas and identification of communes at potentially increased risk of new outbreaks: report from 03 November 2022

Executive summary

Haiti is experiencing a cholera epidemic. Our research¹ on the 2010 cholera outbreak showed that mobility indicators derived from aggregated and anonymised Call Detail Records (CDRs) were predictive (with uncertainty) of the geographic spread of the epidemic. Here, we show mobility patterns relevant to the ongoing outbreak and replicate our analyses to identify areas potentially at increased risk of new outbreaks. In combination with other evidence, this can help identify areas to be prioritised for surveillance and interventions.

As is normal, most trips are short-distance. Travel from the Port-au-Prince metropolitan area, where there are high numbers of suspected cases, is concentrated in nearby communes in the Ouest department but longer trips are also observed (Map 1). Our modelling of the estimated flows of infectious persons (Map 2) also highlights communes in the Nippes, Artibonite and Sud departments as further areas at potentially increased risk of new outbreaks. We also show that geographic proximity to communes with confirmed cases alone may not equate to higher risk of new outbreaks.

The analyses have limitations and should be used in conjunction with other available evidence (see Data considerations). We welcome feedback from responders to help us improve future reports and any requests for specific analyses. As new areas acquire local transmission, the risks shown in this report will change and we aim to update the analyses.

Where are people in cholera-affected areas of Port-au-Prince metropolitan area travelling to?

Flows of subscribers from communes most affected by cholera and lying within the Port-au-Prince metropolitan area


The background of Map 1 (right) shows the number of suspected cases of cholera in the past 7 days across Haiti, calculated from reports by the Ministry of Public Health and Population (MSPP).

We used CDR data to estimate the flows of people travelling from communes in the Port-au-Prince metropolitan area in which there have been the a substantial number of new cholera cases reported in the past 7 days (highlighted area).

The lines indicate the largest flows of subscribers from these cholera-affected communes within the Port-au-Prince metropolitan in the last 7 days, to other communes across Haiti.

Travel from the cholera-affected areas of Port-au-Prince is mostly short distance within the Ouest department, but there are a smaller number of longer trips, including to communes in the Artibonite, Nippes and Sud departments.

Table 1 (page 3) ranks the communes outside of the cholera-affected communes of Port-au-Prince according to the number of incoming subscribers from these affected areas.



Which areas are at potentially increased risk of new outbreaks of cholera?

Estimated infectious pressure on communes with no recent confirmed cases


Infectious pressure is an indicator describing broadly the estimated daily likelihood of an infectious person travelling to each commune, over the 7 days up to 31 October. Our previous research¹ shows that this indicator is predictive (with uncertainty) of new outbreaks in the coming 7 days for areas with no known outbreak

Map 2 (right) shows the normalised infectious pressure for each commune as of 01 November 2022 (rescaled between 0 and 1), with greater infectious pressure associated with greater risk. We estimate this from the flows of subscribers between areas and the number of suspected cases reported by MSPP.

Infectious pressure is highest in communes in the Ouest, Artibonite, and Nippes departments, in particular Léogâne commune. Sud department also has elevated infectious pressure. However, many communes adjacent to those with confirmed cholera cases do not have elevated infectious pressure

Table 2 (page 3) lists the communes with no confirmed cases in the past 7 days which experience the greatest infectious pressure (indicative of increased risk of new outbreaks).

Note: Infectious pressure is an indicator of risk of new outbreaks originating from people coming into a commune. For communes with ongoing transmission, including those with no confirmed cases, the highest risk of continued spread will likely stem from the ongoing transmission within those communes, and not from the infectious pressure shown on Map 2.



About this report

Data

Data considerations

Methodology

www.flowminder.org/haiti-cholera-2022-1#methodology

Data privacy and protection

We welcome feedback to help us improve future reports and requests for specific types of analysis

References

Table 1

Communes receiving the greatest flows of subscribers from communes within the Port-au-Prince metropolitan area where there are substantial new cholera cases (highlighted area, Map 1).

Ranking	Commune	Departement	Normalised Flow
1	Tabarre	Ouest	0.75 -1
2	Croix-Des-Bouquets	Ouest	0.5 - 0.75
3	Kenscoff	Ouest	0.10 - 0.25
4	Gressier	Ouest	0.10 - 0.25
5	Cabaret	Ouest	0.05 - 0.1
6	Léogâne	Ouest	0.05 - 0.1
7	Thomazeau	Ouest	0.01 - 0.05
8	Petit-Goâve	Ouest	0.01 - 0.05
9	Arcahaie	Ouest	0.01 - 0.05
10	Miragoâne	Nippes	0.01 - 0.05

Table 2

Communes with no confirmed cholera cases in the 7 days up to 31 October which experience the highest infectious pressure. Higher infectious pressure is associated with an increased risk of new cholera outbreaks.

Ranking	Commune	Departement	Normalised infectious pressure
1	Léogâne	Ouest	0.75 -1
2	Cabaret	Ouest	0.5 - 0.75
3	Thomazeau	Ouest	0.5 - 0.75
4	Dessalines	Artibonite	0.5 - 0.75
5	Miragoâne	Nippes	0.5 - 0.75
6	Grand-Goâve	Ouest	0.25 - 0.5
7	Anse-à-Veau	Nippes	0.25 - 0.5
8	Verrettes	Artibonite	0.25 - 0.5
9	Arcahaie	Ouest	0.25 - 0.5
10	Aquin	Sud	0.25 - 0.5

This report and its contents may only be shared with attribution to Digicel Haiti and the Flowminder Foundation. Adaptation is permitted as long as the changes are indicated and Digicel Haiti and the Flowminder Foundation are cited. Use of the report and its contents is limited to humanitarian and development purposes.

Disclaimer of Warranties and Limitation of Liability

To the extent possible, Flowminder and Digicel offer this report and its contents as-is and as-available, and make no representations or warranties of any kind concerning this report and its contents, whether express, implied, statutory, or other. This includes, without limitation, warranties of title, merchantability, fitness for a particular purpose, non-infringement, absence of latent or other defects, accuracy, or the presence or absence of errors, whether or not known or discoverable.

To the extent possible, in no event will Flowminder or Digicel be liable on any legal theory (including, without limitation, negligence) or otherwise for any direct, special, indirect, incidental, consequential, punitive, exemplary, or other losses, costs, expenses, or damages arising out of the use of the report or its contents, even if Flowminder or Digicel have been advised of the possibility of such losses, costs, expenses, or damages. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent possible, most closely approximates an absolute disclaimer and waiver of all liability.